




EFFER
RAISE THE VALUE

145


Effer 145 model is part of the small crane range, belonging to 2 to 10 txm lifting class, and is a mix of power and performances for customers looking for an effective and easy-to-use product. The quality of materials and design characterising big and medium Effer cranes can be found also in this product range, to ensure better performances for any type of work.




2S




3S




4S




5S




6S




C4S




3S + JIB 3S



4S + JIB 2S




2S/3S/4S/5S/6S



[inches]

3S/4S + JIB



[inches]

STANDARD



OPTIONAL



» FOR MORE INFO AND TECHNICAL DETAILS GO TO [EFFER PRODUCT GUIDE](#)

DESCRIPTION	UNIT OF MEASURE	1S*	2S	3S	4S	5S	6S
Max. hydraulic outreach	ft	21'3"	27'7"	34'4"	41'5"	48'8"	55'2"
Max. lifting moment (+10°)	lb-ft	95070	92250	88490	86030	84870	81620
Slewing arc	[°]	400					
Slewing Capacity - Max slope	%	8.7					
Working pressure	psi	5075					
Recommended oil delivery	gal/min	18.5					
Oil tank capacity	gal	21					
Weight of the standard crane, iwth stabilizers and oil (± 2%)	lb	3350	3670	3955	4230	4475	4660

* Special version available on request / Versione speciale disponibile su richiesta / Sonderausführung auf Anfrage vorhanden
Version spéciale disponible sur demande / Version especial disponible en solicitar



ALTEC, INC.

210 Inverness Center Drive
Birmingham, Alabama 35242
800.958.2555
sales@altec.com | altec.com/effer

